



বিদ্যাসাগর বিশ্ববিদ্যালয়  
VIDYASAGAR UNIVERSITY

Question Paper

**B.Sc. Honours Examination 2022**

(Under CBCS Pattern)

**Semester - II**

**Subject: PHYSICS**

**Paper: C 3-T**

**Electricity and Magnetism**

**Full Marks : 40**

**Time : 2 Hours**

*Candidates are required to give their answers in their own words as far as practicable.*

*The figures in the margin indicate full marks.*

**Group - A**


Answer any *four* of the following questions.

5×4=20

1. The electric field at any point within a charged sphere of radius  $a$  is  $\vec{E} = Ar^3\hat{r}$ . Find the volume charge density and total charge within the sphere. 3+2
2. Find the electric field produced by an infinite cylinder of radius ' $a$ ' and volume charge density  $\rho(r) = 5re^{-2r}$  C/m<sup>3</sup> ( $r$  being the distance from the axis of the cylinder); at a point inside the cylinder. 5
3. (a) Find an expression for force per unit length between two parallel current carrying conductors.

P.T.O.

- (b) A current  $I$  flows through a wire shaped in the form of a square of side  $L$ . Determine the magnetic field at the centre of the square. 2+3
4. The distance between two parallel plates of a air capacitor is  $d$ . A dielectric slab of thickness  $x$  is introduced in the air gap. Show that the capacitance of the capacitor will be doubled if the dielectric constant of the material of the slab is  $k = \frac{2x}{2x-d}$ . 5
5. (a) Obtain the relation between magnetic field ( $\vec{B}$ ), magnetization ( $\vec{M}$ ) and magnetic intensity ( $\vec{H}$ ). Discuss qualitatively.
- (b) A bar magnet made of iron has magnetic moment  $2 \text{ A.m}^2$  and mass  $5 \times 10^{-3} \text{ kg}$ . If the density of the iron is  $6 \times 10^{-3} \text{ kg.m}^{-3}$ . Find the intensity of magnetization. 3+2
6. (a) Find the Thevenin and the Norton equivalent circuits between the terminals  $a$  and  $b$  for the network given below.
- (b) Determine the resistance to be connected across  $a$  and  $b$  in the following figure to dissipate maximum power and calculate the maximum power. 3+2



### Group - B

Answer any *two* of the following questions :

10×2=20

7. (a) A sphere of radius  $R$  carries a polarization  $P(r) = kr$ , where  $k$  is a constant and  $r$  is the vector from the center.
- (i) Calculate the bound charges  $\sigma_b$  and  $\rho_b$ .
- (ii) Find the field inside and outside the sphere.

- (b) A spherical charge distribution consists of a uniform charge density  $\rho_1$  from  $r=0$  to  $a/2$ , and  $\rho_2$  from  $r=a/2$  to  $a$ . Find the electric potential at  $r=a/2$  and  $a$ . 5+5
8. (a) A point charge  $q$  is located at a distance  $a$  from an infinite conducting plane at zero potential. By the method of electrical image, calculate the force between the charge and the plane.
- (b) Show that electric field is conservative in nature.
- (c) The electric potential in a space is represented as  $V = 3x + 5y - 6z$ . Show that the electric field intensity is uniform everywhere in the space. 5+3+2
9. (a) Define the terms electric susceptibility and relative permittivity. Obtain the relation between them.
- (b) What is Lenz's law? Show that it is in accordance with the law of conservation of energy.
- (c) A proton with a kinetic energy of 1 MeV is entering a magnetic field (along north to south) of 15 T at right angles from East to West direction. Calculate the magnitude and direction of force acting on it. Given, mass of proton is  $m = 1.67 \times 10^{-27}$  kg. 4+3+3
10. (a) Suppose an ac emf  $v = V_0 \cos \omega t$  is applied to a circuit consisting of a pure inductor of inductance  $L$  and a capacitor of variable capacitance  $C$  in series. The capacitor is shunted by a resistance  $R$ . Find the value of  $C$  which makes the current through the coil independent of  $R$ .
- (b) Starting from the expression of magnetic vector potential  $\vec{A} = \frac{\mu_0 I}{4\pi} \int \frac{d\vec{l}}{r}$  obtain the expression  $\vec{B} = \frac{\mu_0 I}{4\pi} \int \frac{d\vec{l} \times \vec{r}}{r^2}$ , where  $\vec{B} = \vec{\nabla} \times \vec{A}$ . Which law does this expression represent? 5+5
-